An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gero G. McClellan (Reg. No. 44,227) on 25 February 2009.

The following claims have been amended as follows:

- (i) Claim 1, line 2, delete "including a".
- (ii) Claim 15, line 1, replace "processing" with -- which when executed by a processor processes --.
- (iii) Claim 15, line 3, replace "computer program" with -- computer-program --.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NATHAN PRICE whose telephone number is (571)272-4196. The examiner can normally be reached on 8:30am - 5:00pm, Monday - Friday.

Application/Control Number: 09/849,793 Page 3

Art Unit: 2194

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng-Ai An can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Lewis A. Bullock, Jr./ Supervisory Patent Examiner, Art Unit 2193

NP